

KEPMY

LV3



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

RBE350A94-2706-00-05A
Job Sheet 170605



Part No: RBE350A94-2706-00-05A

Job Qty: 6 ea

Part Name: Pin Shaft



Part Weight: 0 lbs

Status: Scheduled

Priority: High

Job Created: 1/17/18

Job Tracking No:

Due Date: 3/6/18

Created By: Marie Lajeunesse

Type: SOLD

Description:

Note: DWG RBE350A94-2706-00 REV 6 IPP REV A 18-01-15 NEW ISSUE JFC VERIFIED DP

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Start up Operation	6 Ea	3/6/18	3/6/18	0.00	0.00	Start Up Machining-3		
110	CNC Lathe	6 pcs	3/6/18	3/6/18	0.00	3.00	MORI SL-154		
120	QC	6 pcs	3/6/18	3/6/18	0.00	0.00	QC2 Machining-4		
130	QC	6 pcs	3/6/18	3/6/18	0.00	0.00	QC8 Machining-4		
140	Packaging	6 pcs	3/6/18	3/6/18	0.00	0.00	Packaging3-1		
150	QC21-SA	6 Ea	3/6/18	3/6/18	0.00	0.00	QC21		

Part Op 110 - 1-Machine as per DWG. FB736 FOLIO REV: _____ DWG REV: _____
 Descriptions: number Using Marktronic engraver as per DWG.

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
88625K67	Dowel Pin Ø8mm x 40mm	6 ft (1 ea)	90-Start up Operation	

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
90-Start up Operation	88625K67	6	36	0

Part Specifications

Specifications could not be found.



Container No: S052895



Part: RBE350A94-2706-00-05A

Job No: 170605

Serial No/Batch: S052895

Revision: 6

Inspector:

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Plex 3/6/18 3:25 PM dart.logan.david

DL 3-23

1.23



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

RBE350A94-2706-00-05A

Job Sheet 170605



Part No: RBE350A94-2706-00-05A

Job Qty: 6 ea

Part Name: Pin Shaft



Part Weight: 0 lbs

Status: Scheduled

Priority: Medium

Job Created: 1/17/18

Job Tracking No:

Due Date: 2/13/18

Created By: Marie Lajeunesse

Type: Stock

Description:

Note: DWG RBE350A94-2706-00 REV 6 IPP REV A 18-01-15 NEW ISSUE JFC VERIFIED DP

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Start up Operation	6 Ea		2/13/18	0.00	0.00	Start Up Machining-3		
110	CNC Lathe	6 pcs		2/13/18	0.00	3.00	MORI SL-154		
120	QC	6 pcs		2/13/18	0.00	0.00	QC2 Machining-4		
130	QC	6 pcs		2/13/18	0.00	0.00	QC8 Machining-4		
140	Packaging	6 pcs		2/13/18	0.00	0.00	Packaging3-1		
150	QC21-SA	6 Ea		2/13/18	0.00	0.00	QC21		

Part Op 110 - 1-Machine as per DWG. FB736 FOLIO REV: _____ DWG REV: _____ 2-Deburr 3-Engrave Dash
Descriptions: number Using Marktronic engraver as per DWG.

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
88625K67	Dowel Pin Ø8mm x 40mm	6 Ea (1 ea)	90-Start up Operation	



Part Specifications

Specifications could not be found.

Plex 1/17/18 11:35 AM Dart.lajeunesse.marie

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				DATE	INITIAL	APPROVED
REV	ECR	DESCRIPTION				
6	16-0281	-01, -03, -05, -07, -09 ADDED FINISH SPEC QSMI-6.2.2, B.O. REV D. ADDED -17, -19, NOTE 1.		1/12/2017	RJC	JAG



ASSY P/N	A P/N
-01	-01A
-03	-03A
-05	-05A
-07	-07A
-09	-09A

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 170605 MJS
18-01-78

NOTE:

1 USE LOCTITE 680 TO ASSEMBLE.




DART AEROSPACE	
TITLE RIGGING PIN SET	
DWG NO. RBE350A94-2706-00-01	REV 6
MAT'L STEEL	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
FINISH BLACK OXIDE	.XXX ± .005 FRACTIONS ± 1/8
SPEC QSMI-6.2.2, B.O. REV D	.XX ± .01 ANGLES ± 5°
DRAWN BY: PERRITT	.X ± .1 SURFACES = 125/✓
CHECKED: DUERFELDT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
QA APPR: LINDSAY	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
APPROVED: GILBERT	USED ON MODEL EUROCOPTER AS350/355
SCALE 1:3	DATE 9/11/2009
SHEET 2 OF 3	

-01, -03, -05, -07, -09

PIN

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3		MOVED LENGTH B DIMENSION TO Ø.118in. HOLE CENTERLINE & ADDED 1.5mm TO -.01 THRU -.09 PINS IN TABLE. ADDED A TOLERANCE TO Ø.118in. HOLE TO ACHIEVE A LIGHT PRESS FIT FOR -.11. CH'D HOLE FROM Ø.118 TO Ø.113 FOR CABLE TIES. END OF PIN PER S.E.	5/26/2015	RJC	RW
4	15-0120	CH'D TOLERANCE BLOCK WAS .XXX ± .004 IS .XXX ± .005.	5/26/2015	DPD	JAG
6	16-0281	-01A, -03A, -05A, -07A, -09A CH'D DIM WAS 2X Ø.118 +.001/- .000 THRU ALL IS Ø.1180/.1176 THRU ALL (P.F. -11). ADDED DIM Ø.12 THRU ALL. ADDED ENGRAVE DASH No., ADDED ENGRAVE DASH No. COLUMN TO TABLE.	1/12/2017	RJC	JAG



-01A, -03A, -05A, -07A, -09A

PIN SHAFT

DAL 3.402

1.833

ENGRAVE	PIN DIMENSION TABLE		
DASH No.	P/N	ØA	LENGTH B
-01	-01A	6mm	2.028
-03	-03A	8mm	5.177
-05	-05A	8mm	3.012
-07	-07A	6mm	4.783
-09	-09A	8mm	1.240

DART AEROSPACE	
TITLE RIGGING PIN SET	
DWG NO. RBE350A94-2706-00-01A	REV 6
MAT'L Q-1 HEAT TREAT FINISH SEE -01, -03, -05, -07, -09 SPEC DRAWN BY: PERRITT CHECKED: DUERFELDT OPFS APPR: ANDERSON QA APPR: LINDSAY APPROVED: GILBERT	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125/✓ 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009 USED ON MODEL EUROCOPTER AS350/355	
SCALE 1:1	DATE 9/11/2009
SHEET 3 OF 3	

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width: 100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																						
Large Fab ☐	Composite ☐	Supplier ☐																							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																		
Description Work Order Deviation				Disposition				Completed By																	
								Lead hand / Supervisor Approval Verification																	
								QC / QA Coordinator Approval																	
Root Cause		FAULT CATEGORY																							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	OTHER : ☐																			